

**Amendments to the Claims:**

1. (Currently Amended) An expression style processing method for a portable radio communication terminal which transmits/receives a multimedia content formed from an object having at least character data and image data, ~~image data, or voice data~~ through a network including a radio data communication network, comprising performing in said radio communication terminal the steps of:

a) receiving a plurality of objects from an internet download using the radio data communication network;

b) inputting character data using a character input device in said radio communication terminal;

c) converting the input character data into a descriptive language, said converted character data forming additional objects;

d) storing ~~the plurality a plurality~~ of objects and said additional objects as stored objects;

e) generating an expression style format for expressing the stored objects; and

f) storing the generated expression style format.

2. (Currently Amended) A method according to claim 1, wherein  
said method further comprises the step of sensing an image from within said received plurality of objects, and

the step of storing a plurality of objects comprises the steps of

converting the sensed image to digitally processible image data, and

storing the image data as one of said plurality of objects~~the object~~.

3. (Currently Amended) A method according to claim 1, wherein  
said method further comprises the step of ~~inputting a character, and~~  
~~the step of storing a plurality of objects comprises the steps of~~  
converting the input character to digitally processible character data prior to the  
converting step c);  
~~converting the character data to a description language, and~~  
~~storing the description language as the object.~~
4. (Currently Amended) A method according to claim 1, wherein  
said method further comprises the step of inputting a voice, and  
the step of storing a plurality of objects comprises the steps of  
converting the input voice to digitally processible voice data, and  
storing the voice data as one of the plurality of objects~~the object.~~
5. (Original) A method according to claim 1, further comprising the steps of  
selecting and displaying at least one of the stored objects, and  
generating the expression style format by registering the displayed object as an  
expression style format.
6. (Original) A method according to claim 5, wherein the step of generating the  
expression style format comprises the step of generating the expression style format by  
defining an order of additional registration of the respective objects as an expression order.
7. (Original) A method according to claim 1, further comprising the step of  
expressing the respective objects on the basis of the stored expression style format to  
reconstruct operation of the expression style format.

8. (Original) A method according to claim 1, further comprising the step of changing expressions of the objects registered in the stored expression style format to correct the expression style format.

9. (Original) A method according to claim 8, wherein the expression of each object includes at least one of a display position, display order, and size of the object.

10. (Currently Amended) A method according to claim 1, wherein

said method further comprises the step of downloading at least one of character data and a description language through the network, and

the step of storing a plurality of objects comprises the step of storing at least one of the downloaded character data and description language as one of the plurality of objects~~the object of the character data.~~

11. (Currently Amended) A method according to claim 1, wherein

said method further comprises the step of downloading image data through the network, and

the step of storing a plurality of objects comprises the step of storing the downloaded image data as one of the plurality of objects~~the object.~~

12. (Currently Amended) A method according to claim 1, wherein

said method further comprises the step of downloading voice data through the network, and

the step of storing a plurality of objects comprises the step of storing the downloaded voice data as one of the plurality of objects~~the object.~~

13. (Currently Amended) A method according to claim 1, wherein

said method further comprises the steps of

superposing and displaying a plurality of stored objects each formed from at least one of image data and character data in a single window, and

synthesizing the plurality of ~~objects~~-superposed and displayed objects to generate ~~one new~~ a synthesized object image data, and

the step of storing a plurality of objects comprises the step of storing the synthesized object ~~image data obtained by synthesis~~ as a new object.

14. (Currently Amended) A method according to claim 13, further comprising the step of, after synthesis of superposed and displayed objects~~the new image data~~, deleting the plurality of objects used for synthesis.

15. (Currently Amended) A method according to claim 1, wherein:

said received objects includes a description language including a superposition expression of a plurality of objects;

said method further comprises the steps of

~~downloading a description language including a superposition expression of a plurality of objects through the network,~~

g) superposing and displaying the received plurality of objects used in the superposition expression of the downloaded description language in a single window, and

h) synthesizing the objects superposed and displayed to generate a synthesized object ~~one new image data~~, and

i) the step of storing a plurality of objects comprises the step of storing the synthesized object ~~image data obtained by synthesis~~ as a new object.

16. (Currently Amended) A method according to claim 15, further comprising the step of, after step h) synthesis of the new image data, deleting the plurality of objects used for synthesis.

17. (Currently Amended) A portable radio communication terminal for transmitting/receiving a multimedia content formed from an object having at least character data and image data, ~~image data, or voice data~~ through a network including a radio data communication network, comprising:

means for downloading from an internet network a plurality of objects;

a character data input device for inputting character data;

means for converting the input character data into a descriptive language, said converted character data forming additional objects;

first memory means for storing a plurality of objects and the additional objects as stored objects;

expression style format generation means for generating an expression style format for expressing the stored objects ~~stored-in~~ said first memory means; and

second memory means for storing the expression style format output from said expression style format generation means.

18. (Currently Amended) A terminal according to claim 17, wherein

said terminal further comprises

image input means for sensing an image from within said received plurality of objects,  
and

image processing means for converting the sensed image ~~output image~~ from said image input means to digitally processible image data, and

said first memory means comprises an image memory for storing the digitally processible image data ~~image data output~~ from said image processing means as one of said plurality of objects~~the object~~.

19. (Currently Amended) A terminal according to claim 17, wherein

~~said terminal further comprises~~

~~character input means for inputting a character, and~~

~~description language processing means for converting the output character from said character input means to digitally processible character data, and~~

said first memory means comprises a description language memory for storing the additional objects~~character data output from said description language processing means as the object~~.

20. (Currently Amended) A terminal according to claim 17, wherein

said terminal further comprises

voice input means for inputting a voice and generating voice signals, and

voice processing means for converting the ~~output~~ voice signals from said voice input means to digitally processible voice data, and

said first memory means comprises a voice data memory for storing the voice data output from said voice processing means as one of said plurality of objects~~the object~~.

21. (Currently Amended) A terminal according to claim 17, wherein

said terminal further comprises expression processing means for selecting and expressing at least one of the ~~objects~~ stored objects in said first memory means, and

said expression style format generation means generates the expression style format by registering at least one of said stored objects~~object expressed by said expression processing means~~ as an expression style format.

22. (Original) A terminal according to claim 21, wherein said expression style format generation means generates the expression style format by defining an order of additional registration of the respective objects as an expression order.

23. (Original) A terminal according to claim 17, further comprising expression processing means for expressing the respective objects on the basis of the expression style format stored in said second memory means to reconstruct operation of the expression style format.

24. (Original) A terminal according to claim 17, further comprising expression style format correction means for changing expressions of the objects registered in the expression style format stored in said second memory means to correct the expression style format.

25. (Original) A terminal according to claim 24, wherein the expression of each object includes at least one of a display position, display order, and size of the object.

26. (Currently Amended) A terminal according to claim 17, wherein

said terminal further comprises download processing means for downloading at least one of character data and a description language through the network, and

said first memory means comprises a description language memory for storing at least one of the character data and description language downloaded by said download processing means as one of said plurality of objects~~the object of the character data~~.

27. (Currently Amended) A terminal according to claim 17, wherein

said terminal further comprises download processing means for downloading image data through the network, and

said first memory means comprises an image memory for storing the image data downloaded by said download processing means as one of said plurality of objects~~the object~~.

28. (Original) A terminal according to claim 17, wherein

said terminal further comprises download processing means for downloading voice data through the network, and

said first memory means comprises a voice data memory for storing the voice data downloaded by said download processing means as one of said plurality of objects~~the object~~.

29. (Currently Amended) A terminal according to claim 17, wherein

said terminal further comprises display processing means for superposing and displaying a plurality of objects each formed from at least one of image data and character data in a single window, and synthesizing the plurality of objects superposed and displayed to generate a synthesized object~~one new image data~~, and

said first memory means storing said synthesized object~~comprises an image memory for storing the image data generated by said display processing means as a new object~~.

30. (Currently Amended) A terminal according to claim 29, wherein after synthesis of the synthesized object~~new image data~~, said display processing means deletes the plurality of objects used for synthesis.

31. (Currently Amended) A terminal according to claim 17, wherein

~~said terminal further comprises~~

said means for downloading includes ~~download processing means~~ for downloading a description language including a superposition expression of said plurality~~a plurality of~~ objects through the network, and



said terminal further comprises:

display processing means for superposing and displaying the plurality of objects used in the superposition expression of the downloaded description language downloaded by said ~~download processing means~~ for downloading in a single window, and synthesizing the plurality of objects superposed and displayed to generate a superposed object ~~one new image data~~, and

said first memory means comprises ~~an image~~ a memory for storing the superposed object ~~image data generated by said display processing means as a new object~~.

32. (Currently Amended) A terminal according to claim 31, wherein after storing said superposed object ~~synthesis of the new image data~~, said display procession means deletes the plurality of objects used for superpositionsynthesis.